

Tubing spares and piping accessories

- 1 Tubing (SS)
- 2 Teflon tube
- 3 PU Tube
- 4 Moduler Piping

Gas purification and control

- 1 Moisture Traps,Carbon traps
- 2 Gas Purification Panels
- 3 Gas Control Box

Tubing and cylinder protection

- 1 Aluminium Powder Coated Casing
- 2 Cylinder Bracket
- 3 Copper corrosion Strip for LPG

Valves

- 1 Needle Valve
- 2 Ball Valve
- 3 QRC,Inline Micro Filter,NRV
- 4 Toggle Valve

Fittings

- 1 WIRE BRAIDED PIGTAIL (SS)
- 2 Quick Fit Connectors
- 3 SS Turn Component
- 4 SS Tube Fitting
- 5 Nuts and ferrules

Gas samplers

- 1 High Pressure Gas Sampler
- 2 Gas Sampling Cylinder

Regulators

- 1 Pressure gauge
- 2 Single Stage Gas Regulator Panel
- 3 Double Stage Gas Regulator
- 4 Panel regulator
- 5 Panel regulator

Gas Generation,selection and auto changeover

- 1 Generator Cylinder
- 2 3 Carrier Gas Selector Box
- 3 2 Cylinder
- 4 4 Cylinder
- 5 High Pressure Auto Changeover
- 6 Low Pressure Auto Changeover

Manifolds for cylinder

- 1 Cylinder Manifold
- 2 Multy Cylinder Manifold
- 3 Dual Cylinder Manifold
- 4 Cylinder Manifold

Filters, Filtration and manifold

- 1 Membrane Filters
- 2 Disposable Syringe Filter
- 3 Inline Process Filtration
- 4 Sterility Manifold
- 5 Filtration Manifold

Filter Holders

- 1 Syringe Filter Holder 25mm
- 2 Membrane Filter Holders
- 3 Sterility Test Filter Holder
- 4 Pressure Barrel Filter Holder
- 5 Syringe Filter Holder 13mm
- 6 Delrin Filter Holder

Chromatography Instruments

- 1 Nitrogen evaporator
- 2 Stability Chamber
- 3 Autoclave
- 4 UV Cabinet
- 5 Ultra Sonicator
- 6 Oven
- 7 Multi Point Magnetic Stirrer Heater
- 8 Silent Air Compressor
- 9 Vacuum Oven
- 10 Orbital Shaker
- 11 Water Purification System
- 12 Helium Pycnometer
- 13 Turn Over Silicon Septa
- 14 Zero Air / Nitrogen/ Nitrogen & Air Generator
- 15 Syringes and Accessories
- 16 Vials and Accessories
- 17 pH Sensors

Applications:

- 1 Gas Chromatography
- 2 HPLC Chromatography
- 3 Filtration Extraction Purification

Water Jet Cut Profiles & Laser Marking

- 1 Water Jet Cutting Machine

Precision Engineering

- 1 WIRE BRAIDED HOSE (SS)

-86°C ULT Freezer

- 1 -86°C ULT Freezer

- 2 -86°C ULT Freezer

- 3 -86°C ULT Freezer

- 4 -86°C ULT Freezer

- 5 -86°C ULT Freezer

- 6 -86°C ULT Freezer

Reliable Performance

(DW-86L628)

Cabinet temperature can reach -86°C with temp uniformity within 6°C

Reliable Performance

(DW-86 W388)

Cabinet temperature can reach -86°C with temp uniformity within 5°C

Reliable Performance

(DW-86 W420)

Cabinet temperature can reach -86°C with temp uniformity within 4°C

Reliable Performance

(DW-86L388A)

Cabinet temperature can reach -86°C with temp uniformity within 5°C

Reliable Performance

(DW-86L486)

Cabinet temperature can reach -86°C with temp uniformity within 4°C

Reliable Performance

(DW-86L490)

Cabinet temperature can reach -86°C with temp uniformity within 6°C

7 -86°C ULT Freezer

**Reliable Performance
(DW-86L628)**

Cabinet temperature can reach -86°C with temp uniformity within 6°C

8 -86°C ULT Freezer

**Reliable Performance
(DW-86L728)**

Cabinet temperature can reach -86°C with temp uniformity within 6°C

9 -86°C ULT Freezer

**Reliable Performance
(DW-86L728J)**

Cabinet temperature can reach -86°C with temp uniformity within 5°C

10 -86°C ULT Freezer

**Reliable Performance
(DW-86L729)**

Cabinet temperature can reach -86°C with temp uniformity within 5°C

11 -86°C ULT Freezer

**Reliable Performance
(DW-86L828)**

Cabinet temperature can reach -86°C with temp uniformity within 6°C

12 -86°C ULT Freezer

**Reliable Performance
(DW-86L959)**

Cabinet temperature can reach -86°C with temp uniformity within 4°C

-40°C Deep Freezer

1 -40°C Deep Freezer

**Drawer Structure
(DW-40L92)**

Multilayer drawer, easy to store and sort

2 -40°C Deep Freezer

**Adjustable Temperature
(DW-40L100)**

Adjustable freezer compartment range: - 20 °C ~ -40 °C

3 -40°C Deep Freezer

**Drawer Structure
(DW-40L188)**

Multilayer drawer, easy to store and sort

4 -40°C Deep Freezer

**Temperature Display And Alarm System
(DW-40L225)**

Temperature display and alarm system controled by Microcomputer

5 -40°C Deep Freezer

**Drawer Structure
(DW-40L262)**

6 -40°C Deep Freezer

**Strong Refrigeration
(DW-40L348)**

Shelf sytle evaporator, fast cooling speed

7 -40°C Deep Freezer

**Adjustable Temperature
(DW-40L380)**

Adjustable freezer compartment range: - 20 °C ~ -40 °C

8 -40°C Deep Freezer

**Five Alarm Functions
(DW-40L508)**

High/low temperature, Power failure, Senor error, Low battery, High/low ambient temperature

9 -40°C Deep Freezer

**Reliable Performance
(DW-40L626)**

Cabinet temperature can reach -40°C with temp uniformity within4°C

Blood Bank Refrigerator

1 **Blood Bank Refrigerator**

Adjustable Shelves (HXC-158)

The shelves are adjustable to any height and satisfy different requirements.

2 **Blood Bank Refrigerator**

Infinite Divided Stainless Steel Drawer (HXC-158B)

Stainless steel drawer can be unlimited separated based on the demand

3 **Blood Bank Refrigerator**

Adjustable Shelves (HXC-358)

The shelves are adjustable to any height and satisfy different requirements.

4 **Blood Bank Refrigerator**

Infinite Divided Stainless Steel Drawer (HXC-358B)

Stainless steel drawer can be unlimited separated based on the demand

5 **Blood Bank Refrigerator**

Adjustable Shelves (HXC-608)

The shelves are adjustable to any height and satisfy different requirements.

6 **Blood Bank Refrigerator**

Infinite Divided Stainless Steel Drawer (HXC-608B)

Stainless steel drawer can be unlimited separated based on the demand

7 **Blood Bank Refrigerator**

Adjustable Shelves (HXC-1308)

The shelves are adjustable to any height and satisfy different requirements.

8 **Blood Bank Refrigerator**

Infinite Divided Stainless Steel Drawer (HXC-1308B)

Stainless steel drawer can be unlimited separated based on the demand

Biological Safety Cabinet

1 **Biological Safety Cabinet**

More Clean Air (HR30IIA2)

World famous HEPA filter, air filtering is more clean

2 **Biological Safety Cabinet**

More Clean Air (HR40-IIA2)

World famous HEPA filter, air filtering is more clean

3 **Biological Safety Cabinet**

More Clean Air (HR60-IIA2)

World famous HEPA filter, air filtering is more clean

Gas Generators

- 1 Hydrogen Generators for GC combustion detector applications
- 2 Hydrogen Generators for GC and GC/MS carrier gas applications
- 3 Hydrogen Generators for ICP-MS instruments
- 4 Zero Air Generators for GC combustion detector applications
- 5 Ultra High Purity Zero Nitrogen Generators for GC makeup gas and carrier gas applications
- 6 Ultra High Purity Nitrogen Generators for GC and other critical analytical applications
- 7 High Purity Nitrogen and Dry Air Generators Analytical instrumentation
- 8 Nitrogen Generators for LC/MS applications - with optional economy mode
- 9 Nitrogen Generators for Agilent 6400 & 6500 LC/MS instruments

Vials

- 1 National Standard Opening Screw Thread Vials
- 2 Teknokroma Cap & Crimp top Vials
- 3 Teknokroma Cap & Crimp top Vials
- 4 Teknokroma Cap & Screws Vials

Filters

- 1 Super Clean Gas Filters
- 2 Super Clean™ Gas Filters
- 3 Manual Decrimpers
- 4 Chromacol Crimping and Capping Systems
- 5 Electronic Flowmeter

Columns

- 1 Teknokroma Capillary Columns
- 3 HPLC Columns

Laboratory equipments

- 1 Block Heater
- 2 Ni Evaporator 11 to 96 Needles
- 3 Hemispherical Mantles
- 4 Homogenizers
- 5 Lab Accessories
- 6 Lead Stabilizers
- 7 Overhead Stirrers
- 8 Rotators
- 9 Shakers
- 10 Vortexers
- 11 Temp. Controls / Limits
- 12 Water Flow Monitor
- 13 Atomic Spectroscopy Consumables & Accessories
- 14 Elemental Analysis Consumables & Accessories

Analchem Products

- 1 Plexux
Polymeric phase product.

Used for sample preparation of acidic, basic, neutral drugs.
- 2 EnvirEX
Available in strong/weak anion/cation exchange modes.
High capacity columns for extraction.
Solvent usage reduced by upto 90%
Extremely high recovery level.
Freon free method.
Rapid sample processing.
- 3 Drugtest I
Analchem speciality product.
Combination of hydrophobic, hydrophilic and cation exchange.
Used for extraction of basic drugs, neutral drugs.
- 4 Drugtest II
Analchem speciality product.
Combination of hydrophobic, hydrophilic and anion exchange.
Used for extraction of acidic drugs, neutral drugs.
- 5 Silica Powder
Polar extraction.
Hydrophilic nature.
Easy and rapid flow due to optimum size.
High surface area per gram.
Fast equilibration.
- 6 C8(octyl)
Non polar extraction
Hydrophobic in nature.
Used for extraction of drugs of abuse
phenols, pesticides,etc.
- 7 C18(Octadecyl)
Non polar extraction
Hydrophobic in nature.
Used for extraction of drugs of abuse
phenols, pesticides,etc.
- 8 ArCX
Cation exchanger
Used for isolates from amines group.
- 9 QSAX
Anion exchanger
Used for isolates of carboxylic acids,
sulphonic acids, phosphates.
- 10 Columns
Different sizes from 50mg/1ml to 10gm/60ml
Respective retention capacity from
130 µL to 25ml.